


Australia's biggest range of rubber bands!



			Vei	harl S	ELE (CTION G	UIDE			Ven	Deno
PRODUCT No.	LENGTH mm	WIDTH	THICK	TENSILE STRENGTH kg cm ³	BREAK FORCE kg	COLOURS		100g BOX 100 BOXES PER CTN DS PER BAG (BOX) APP		40 BAGS	Og BAG PER CARTO BAG APPRO
8	25	1.5	.8	92.28	2.21		6221	1410	352	DMINUST	/DHG AFT IN
8L	30	1.5	.8	92.28	2.21	- 2	4820	1410	352		
10	35	1.5	.8	92.28	2.21		4728*				4510
12		1.5		92.28			11/1/04/04	745	186	-	3000
	38		.8		2.21	- 3	4149	745		-	Vistoriania.
14	50	1.5	.8	92.28	2.21		3465*	693	173	-	2780
16	64	1.5	.8	92.28	2.21		2674+	495	123		2225
18	75	1.5	.8	92.28	2.21		2336	365	91		1793
19	90	1.5	.8	92.28	2.21	-	2012	363	90	-	1725
24	150	1.5	.8	92.28	2.21		1400	280		-	
28	38	3	.8	92.28	4.43	0	2074	372	80	9	1810
28L	42	3.3	.8	116.3	6.14	- 9	1675				
29	44	3		92.28	4.43		1640				
30	50	3	.8	106.89	5.14		1723	322	46		1560
31	64	3	.8	106.89	5.14		1380	276			1215
32	75	3	.8	106.89	5.14		1168*	185	43		967
33	90	3	.8	106.89	5.14	0 • 0 • •	1006**	172	20		793**
Aixed size	es: No30	x 100, I	No31 >	50, No32 x 35, N	lo 33 x 25			210			
34	100	3	.8	106.89	5.14		915	163			555
35	114	3	.8	106.89	5.14		840	134			505
60	42	6		118	11.33	9	950				
61	50	6	.8	118	11.33		1081				930
62	64	6	.8	118	11.33	00 000	833	127			610
63	75	6	.8	118	11.33		584	86			460
64	90	6	.8.	118	11.33	0 (503*	83	18		420
65	100	6	.8	118	11.33	- 4	458	79		. 0	330
67	120	6	.8	118	11.33		600				ALC: N
73	75	10	.8	121.71	19.47		325				
75	75	8	.8	140.63	18	0	490				
75AP	75	8	.8	140.63	18		490++				
78	80	10	-12	121.71	19		310				
79	50	10	.8	121.71	19		490				
82	64	12	.8	138.74	26.64		415				
86	114	12	.8	138.74	26.64		170**	34			33
87	127	12	.8	138.74	26.64		155			PLEA	SE NOTE
89	150	12	.8	138.74	26.64	- 1	140			· VenBa	andá 358
92	170	12	.8	138.74	26.64		120			bags on	e in 500 gra Ny except N
105	127	15	1.58	116.64	55.29		105		21	33 and	No 86 which available in
106	152	15	1.58	116,64	55.29		80		16	125g ba	ags.
107	177	15	1.58	116.64	55.29		70		14		anadisi are e in natural
109	248	17	1.5	114.13	58.20		37		14	amber o	colour only.
Banana##		13	2.0	520.00	-					9 All Vo	nBande 310 ink
170	160	12	3		50.00 90.66		110###			• Tensik	e strength a
				1125.91	12000000		20000				g force valu at left apply
175	175	4	.8	119.75	7.66		347			only to	Vinkark
203	300 250	25	.8	125.91 106.89	188.86		15				rubber band NexBands.

*Also 50g bag, 400 bags per carton. **Also 125g bag, 160 bags per carton. + Aso 25g blister packs, assorted colours. ++ 20 bags per carton. # Chicken Loops. 3kg bag, 4 bags per carton. ##Banana Bands made from a blend of natural and synthetic rubber. ### Banana Bands. Ikg bag, 20 bags per carton.





The making of a Venhart rubber band.

1.During the night the rubber tree exudes a milky substance known as latex. Each morning the latex is collected. One acre of trees yields approximately 5kg of latex each night.

2. Formic acid is added to coagulate and stiffen the pure latex.

Moisture is removed as the latex is pressed into sheets. The sheets now possess most of the familiar qualities of rubber.

4.The rubber sheets then undergo several more drying processes including oven drying.

Important comparison

Based on 0.8 mm Venharl pure Compound thick x 1.5mm wide. rubber bands rubber bands as low as 60 Rubber content % 96 Breaking force (kg) 2.22 as low as 1.82 Elongation % 700 600 Tension set (max) 10 Bands per 500g approx. 2674 as few as 2060 (Venhart No16)

5.The rubber is placed in a mixer where chemicals are added to make it more malleable. Most Venhart rubber bands are natural amber but colouring is added at this stage for customers who use bands for coding products and produce. The rubber is then extruded and fed onto various sized pipes according to the band size required.

6.The pipes are placed in an oven for curing. Talcum is applied throughout the manufacturing process to prevent sticking.

The rubber tubes are then washed, cooled and cut to the required band width.

TECHNICAL TERMS


BREAKING FORCE (kg): Force applied to the complete band which causes a break anywhere in the circumference. Established by averaging a series of stretching tests.

TENSILE STRENGTH (kg cm²): Calculated from the breaking force as follows:

Breaking force Kg ÷ 2

Thickness mm x Cut width mm ÷ 100 = Tensile strength Kg cm²

TENSION SET: Extent to which a band doesn't recover after elongation. Expressed as a percentage of the original band size.





Venus

SECURITY TIES

The locking tie that cannot be opened. Ideal for document pouches, mail bags and other items that require tamperproofing. Made from tough, high density polythene. Length: 280mm. Colour: green, 5000 per pack,



A plastic tie for sealing bags, tying electrical wiring, product identification, bundling or joining. Both ends have a loop for hanging items up. Re-usable. Colours: red, blue, green, white and yellow. Sizes 90mm, 120mm and 150mm, 2 x 5000 per pack.



VenBlinders

Strong, round cross-section polythene with secure, two-hole, locking design. Small sizes for attaching labels etc; large sizes for bundling rods, pipes, tying large sacks. Reusable. Heat resistant to 115 °C. Colour: red. Tensile strength 71.38 kg cm2.

		per pack
VBV212	12cm	10000
VBV218	18cm	10000
VBV224	24cm	5000
VBV230	30cm	2000
VBV250	50cm	1000
VBV270	70cm	1000
VBT218	18cm	5 x 1000
VBT224	24cm	5 x 1000
*Light wei	ght.	

VenTte [[

An all purpose .005mm thick tie available in high density polythene and heat resistant nylon. Popular with vineyards and market gardeners. Quick and easy opening, adjusting and locking. Strong, light weight, re-usable, microwavable, boilable, freezable, printable, chemical resistant, weatherproof and supports weights of up to 77.5kg. Polythene Ventie II is UV stabilised and works in temperatures from -24 to +120 degrees C. Colour: yellow. Nylon Ventie II is heat resistant, boilable, ovenable and has natural

Length mm	Width	Quantity per pack	Weight per 1000 (kg)	Tensile strength kg*
114	8	50000	.272	22
140**	9.5	25000	.450	26


enus Cable Ties

Designed to secure cables without damaging the insulation. Made from heat stabilised nylon, heat resistant to 280 degrees C. and selfextinguishing. Resistant to UV and corrosion. Colours white and black. Not re-usable.

Length mm	Width	Min. loop tensile strength mm	Loop diam. maximum mm	Quantity per pack
102	2.5	7	50	1000
120	2.5	8	30	1000
150	2.5	7	50	1000
203	2.5	23	54	1000
295	3.6	18	83	500
368	4.8	23	106	500
332	7.6	54	95	100
368	7.6	54	109	100
530	9.0	80	155	100
655	9.0	80	194	100
780	9.0	80	234	100

Venus LADDER TIES

Made from the same nylon as Venus Cable Ties but more economical. Colours natural and black. Not re-usable. 3mm wide x 1.25mm thick. Lengths 180mm and 280mm. 1000 per pack, 5 packs per carton.



Continuous, flat, high density polythene strip. Economical and re-usable. Simply cut the desired length from the flanged reel. Hundreds of uses in the home, garden, office, factory, school, hospital, farm, nursery, vineyard, abbatoir and cutting room etc. Also handy for camping, boating and emergencies, Microwavable, boilable, freezable – usable in temperatures from -24 to +120 degrees C. No 5620/20 will bear weights up to 77.5kg. Colour: green. Also Venstrip Ties, 217mm x 14mm in UV stabilised high density polythene, for tying grape vines etc.

	Length m	Width	Thicknes mm	Tensile strength kg*	Weight roll kg
No 5625/15 Lightweight No 5620/20	375	14.0	.0038	31.75	2.0
Standard	300	9.5	,005 .005	26.85 41.75	1.4
. Double strip					

A Venus TIE FOR EVERY JOB



Venus NYLON LOOP TIES

The easy way to attach identity tags, labels, instruction books, warranty cards, brochures etc to all kinds of products from apparel to bicycles. Minimum loop tensile strength: 8kg. Maximum temperature resistance: 300 °C. Colour: white. Length: 150mm. 5000 per pack.



Venhart TWIST TIES

Vinyl or polypropylene ribbon, 3mm wide with 0.4mm wire core. Heat resistant to 110 degrees C. 1000 per bundle. Colours: white, red, blue, green, black, pink and yellow. Gold and silver available in 70mm size.

Length	perpack	Length	per pack
70mm	125000	200mm	50000
100mm	75000	250mm	35000 /
150mm		300mm	25000
178mm	50000	2520000	

Venhart

TWIST DRILL

Strong, steel construction with wear resistant bronze sleeve and heavy duty plastic moulded handle. Length 310mm.

Weight: 420g. Use with Venhard Wire Bag Ties.

Venhart

LOOP TYER

Economical and lightweight with an easy-grip wooden handle and pointed steel hook which rotates the bag tie by hand movement.

Length: 180mm. Weight: 125g. Use with Venhart.

Wire Bag Ties.

WARNING: All data in this brochure is provided as a guide only and should not be used in writing specifications. Purchasers should test any product offered herein to determine suitability for their particular purpose. Jan. 2004



GARDEN SUPER TIES

Ideal in the garden for plant, stirrus and vines plus many other uses included in building hoses wires etc. High density got there. Super Ties are a simm wide a 203mm long, djustable, re-usable, waterplant, and imperious to most chemicals are restricted. Building strength: 25kg. US F9% approved. Of per pack, 24 packs per display. I display a exigation.



Venhart PAPER FASTIES

The economical paper twist tie. 4mm wide paper ribbon with 0.4mm wire core in white, red, blue, green and yellow. Tensile strength: 40kg/mm². Heat resistant to 100 °C. 1000 per bundle.

Length	per pack	Length	perpack
75mm	100000	175mm	50000
100mm	100000	200mm	50000
120mm	75000	250mm	35000
150mm	50000	300mm	25000



Venhart

WIRE BAG TIES

For secure binding of bags weighing up to 100kg. Red copper coating prevents rust and corrosion during storage. 1000 per bundle. Gauge: 1.4mm. Apply with the Venhard Twist Drill or Venhard Loop Tyer. Sizes: 100, 110, 125, 150, 200, 225, 250, 275 and 300mm.





VINE TIES AND TOOLS

Paper and plastic covered wire cored ribbon for tying vine grops and orchard tree branches.

Self dispensing centre-draw coils

Contained in a netting outer pack, Hangs from the belt for easy dispensing and no tangles. Length: 250 metres and 500 metres.

Paper: Bio-degradable - decomposes after about 8 months. Colour: natural.

Classic Plastic: Non-toxic, pure virgin

polypropylene. Lasts about 3 years. Colour: green. Bio-degradable Plastic: Special photo-degradable plastic that decomposes in sunlight after about 12 months. Colour: clear.

Vinyl Shoulder Dispenser: Built-in cutter cuts the length required with a flick of the thumb. Yellow with 500 metres of green vinyl coated wire cored ribbon. Also available 500 metre refill rolls.

TWIST TYING PLIERS





Venhart CHICKEN LOOPS



Elastic in natural white. 110mm. 1920 per bag, 4 bags per carton.

Venhart, BANANA BANDS

No 160 in eggplant yellow. UV stabilised, 160mm long, 13mm wide, 2mm thick. 1kg bag, 110 bands (approx.) per bag, 20 bags per carton.





Venus TIEFIX

3mm wide vinyl ribbon with 0.4mm core. The re-usable, interchangeable spool means real savings, less storage space and an "environmentally friendly" use of resources. Use with Venhart Masterfix and Tiematic automatic tying machines. Masterfix: 800m on spool, 8 per pack. 800m spool-less refill, 6 per pack. Re-usable spool, 4 per pack. Tiematic: 940m spools. Colours: black, green, red, white, orange, purple, yellow and blue.

555 Church Street, Richmond, Vic. 3121, Melbourne, Australia. Phone: (03) 9428 1652. Fax No: (03) 9429 5506. www.venuspack.com.au Email:packaging@venuspack.com.au